

*A VEHICLE FOR LAST MILE  
DELIVERY LIKE NEVER BEFORE.*

# **THE NEW ELECTRIC TREQ ZOR.**



**TREQ**  

---

*Zor*

**SAVINGS LIKE  
NEVER BEFORE.**

**ADDITIONAL  
₹1 00 000.00  
PER YEAR.**

**INCREMENTAL SAVINGS  
THAT NO DIESEL VEHICLE CAN MATCH  
SAVINGS OF 2.0 / km ON FUEL.  
MAINTENANCE OF 11 paise / km**



\*WHEN COMPARED WITH DIESEL CARGO 3 WHEELERS

# ***POWER TO MAKE MORE TRIPS. AND MORE PER TRIP.***

***HIGHER POWER OF 8 kW  
EXCELLENT TORQUE OF 42 Nm  
HIGHEST-IN-CLASS PAYLOAD OF 550 kg  
ADVANCED IP67 RATED MOTOR***



# **TECHNOLOGY THAT GOES THE DISTANCE, BATTERY THAT NEEDS NO MAINTENANCE.**

**ADVANCED ZERO MAINTENANCE LITHIUM-ION BATTERY**

**LONG BATTERY LIFE OF 1.5 Lakh km**

**3 years / 80000 km STANDARD WARRANTY**



***DELIVER MORE  
THAN BEFORE.***

***BUT WITH  
LESS FATIGUE  
THAN EVER  
BEFORE.***

***CLUTCHLESS  
DIRECT DRIVE TECHNOLOGY  
NOISELESS  
VIBRATION-FREE***



# ***LOADS FASTER, UNLOADS FASTER, TO DO BUSINESS FASTER***

***BEST-IN-CLASS\* LOADING HEIGHT OF 675 mm  
CONVENIENT 3 WAY CARGO TRAY***



\*WHEN COMPARED WITH ELECTRIC CARGO 3 WHEELERS

**FAR LONGER,  
FAR MORE STABLE.  
SO YOU AND  
YOUR LOAD  
REACH SAFER.**

**LONGEST-IN-INDUSTRY\* WHEELBASE : 2216 mm**

**LARGEST-IN-INDUSTRY\* TYRES : 30.48 cm**



\*WHEN COMPARE WITH DIESEL & ELECTRIC CARGO 3 WHEELERS

# **MANAGE YOUR FLEET MORE EFFICIENTLY THAN EVER. USING THE NEMO APP.**

*REAL TIME PERFORMANCE TRACKING  
MONITORING OPERATIONS  
DATA AND MACHINE LEARNING  
AND MUCH MORE*





**A RANGE OF  
VARIANTS TO  
SUIT ALL  
YOUR NEEDS.**

**LIKE NEVER  
BEFORE.**



**TREO**  
            
*Zor DV*

**TREO**  
            
*Zor*

**TREO**  
            
*Zor FB*

## TECHNICAL SPECIFICATIONS

Variant	Pickup	Flatbed	Delivery Van
Vehicle category	LSN	LSN	LSN
Vehicle roof type	Hard Panel	Hard Panel	Hard Panel
Payload-kg	550	578	500
Volume-m <sup>3</sup>	NA	NA	3.4
Vehicle Dimensions & Weight			
Dimensions-Length x Width x Height-mm	3100 X 1460 X 1762	3100 X 1460 X 1762	3100 X 1460 X 2175
Wheelbase -mm	2216	2216	2216
Ground clearance-mm	123	123	123
Rear track-mm	1220	1220	1220
Turning radius-m	3.05	3.05	3.05
Vehicle kerb weight-kg	445	417	495
Vehicle GVW-kg	995	995	995
Tray Size Length x Width x Height (Inside dimensions)-mm	1500 X 1400 X 278	1570 X 1460	NA
Box Size Length x Width x Height (Inside dimensions)-mm	NA	NA	1564 X 1452 X 1494
Performance			
Top Speed km/h	50	50	50
Typical driving range-km	80	80	80
Gradeability-degree	7	7	7
Battery			
Battery type, Voltage-V	Lithium-ion, 48 V	Lithium-ion, 48 V	Lithium-ion, 48 V
Battery capacity [Installed] - kWh	7.37	7.37	7.37
Charging time at standard conditions	3 h 50 min	3 h 50 min	3 h 50 min
Drivetrain			
Peak power-kW	8	8	8
Peak torque-Nm	42	42	42
Transmission type	Direct drive technology	Direct drive technology	Direct drive technology
Suspension & Brakes			
Suspension-Front	Helical spring + Damper + Hydraulic shock absorber		
Suspension-Rear	Rigid axle with leaf spring		
Brakes Front/Rear	Hydraulic brake		
Parking brake	Mechanical lever type		
Features			
Windscreen and wiping system	✓	✓	✓
Spare wheel provision	✓	✓	✓
Driving modes - FNR (Forward, Neutral, Reverse)	✓	✓	✓
Economy and boost mode	✓	✓	✓
Lockable glove box	✓	✓	✓
12 V socket	✓	✓	✓
Telematics unit and GPS	✓	✓	✓
15 A off-board charger	✓	✓	✓
Hazard indicator	✓	✓	✓
Reverse buzzer	✓	✓	✓



**TREO**  
Zor DV



**TREO**  
Zor



**TREO**  
Zor FB